



**YOUR
SAFETY
OUR
PRIORITY**

Mob : 9711812678

Index

Safety Cones and Accessories

Spring Post or Flexible Delineators and Centre Verge

Retro Reflective Taxiway Marker & Road Fence Barricade

Metallic Tubular Post

Bollards/ Flap Delineator/ Pedestrian

Traffic Pillars Bollard

Rubberized & Plastic Speed Breaker and Rumlbers

Advertisement Barricade Board

Road Barriers /Traffic Impact Attenuators/ Sand Barrels

Scissor Road Barriers

ABS Road Studs and Aluminum Road Studs / Solar Studs

Anti Glare Boards

Absorptive Type Noise Barrier Panel

Warning Barricading Bollards

Median Markers

MS Delineators

Que Managers

Parking Solutions

Emergency Equipments / Life Buoy

Miscellaneous

Under Vehicles and Convex Mirror

MS Lockable Parking Post & Plastic Floor Stand

Personal Protective Equipments & Safety Nets & Ladder

Signages

Plastic Delineators / Floor Barricades / Flexible Delineators

Round Pillar Guard

FULLY FLEXIBLE SAFETY CONES



SH 750HR (3.5)

Height	750 mm
Base Size	395 x 395mm
Weight	3.5 Kg
Sleeve Size	6" reflective
Body Colour	Red / Orange
Base Colour	Red / Orange



SH 750HR (4.5)

Height	750 mm
Base Size	395 x 395mm
Weight	4.5 Kg
Sleeve Size	6" reflective
Body Colour	Red / Orange
Base Colour	Red / Orange



SH 750FL

Height	750 mm
Base Size	385 x 385 mm
Weight	2 Kg
Sleeve Size	4" reflective
Body Colour	Red / Orange
Base Colour	Red / Orange



SH 750HF

Height	750 mm
Base Size	385 x 385 mm
Weight	4 Kg
Sleeve Size	4" reflective
Body Colour	Red / Orange
Base Colour	Black
Rubber Fitted	By screw



SH 750F (4.5)

Height	750 mm
Base Size	385 x 385 mm
Weight	4.5 Kg
Sleeve Size	4"/6" reflective
Body Colour	Red / Orange
Base Colour	Black
Rubber Fitted	Machine Moulded




SH 750F (5.5)

Height	750 mm
Base Size	385 x 385 mm
Weight	5.5 Kg
Sleeve Size	4"/6" reflective
Body Colour	Red / Orange
Base Colour	Black
Rubber Fitted	Machine Moulded

SAFETY CONES ACCESSORIES


1. Model No.GH 1100: - Plastic Chain Connector Ring




2. Model No.GH 754 : - Plastic Chain (Link Chain) for Barricading : - Made of Polyethylene Plastic Chains Link type non hazardous in Red & White or Yellow & Black coloured which can give ready visibility. Easy to fasten with barriers or cones for barricading.



Anchor Type
4mm Thickness



Anchor Type
6mm Thickness



"S" Type
8mm Thickness


3. Model No.GH 700 : - Plastic Message Plate for Traffic Cone made of Polyethylene Plastic with UV Stabilizers, pre-coloured raw material for non fading colour easily.

Length : 410mm
Width : 210mm
Thickness : 10mm
Printable Area : 380mm x 180mm
Sticker : Printed on reflective Vinyl.



4. Model No.GH 753 : - Plastic Cone Connecting Rod made of PVC Plastic, having two circle rings on their ends to hang on safety cones. It has many reflective bands on it to make visible in dark weather or night.

Length : 2 Meter.
Ring Dia : 100mm
Reflective Bands : Both - Inner and Outer Rod.



SPRING POST OR FLEXIBLE DELINEATORS

APPLICATION

Spring Posts are used at/for Center Lane Dividing, Dangerous U-Turn, Dangerous Medians, Sharp Curves, Construction Zones, No-Entry Zones, Multi-Lanes, Parking Lots, Freeways, Highways & more.

SH934



Height	300 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	1 band
Band Size	75 mm

SH935



Height	600 mm
Base Dia	170 mm
Pole Dia	78 mm
Reflective Band	3 band
Band Size	75 mm

SH930

Height	710 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	2 bands
Band Size	75 mm



Heavy Duty

SH931



Height	750 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	2 bands
Band Size	75 mm
Weight	950 gms

SH932



Height	750 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	3 bands
Band Size	65 mm
Weight	1100 gms

SH932 (Eco)



Height	750 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	3 bands
Band Size	65 mm
Weight	600 gm

SH988



Height	800 mm
Base Size	200 mm
Pole Dia	80 mm
Reflective Band	3 bands
Band Size	70 mm

SH1900



Height	900 mm
Base Dia	200 mm
Pole Dia	80 mm
Reflective Band	4 bands
Band Size	75 mm

RUBBER SPEED BREAKER



Code : JS 001 RSB Diamond
Size : 500L x 350W x 50H mm
End cap : 350W x 175L x 50H mm




Code : JS002 RSB Trapiziam
Size : 500L x 350W x 50H mm
End cap : 350W x 175L x 50H mm



Code : JS003 Rubber Speed Breaker
Size : 500L x 415W x 50H mm
End cap : 415W x 175L x 50H mm



Code : JS 004 RSB Dezo
Size : 500 x 350 x 50 mm



Code : JS 005 RSB Star
Size : 250 x 350 x 50 mm



Code : JS006 RSB Arrow
Size : 500L x 400W x 50H mm
End cap : 400W x 175L x 50H mm

RUBBER SPEED BREAKER




Code : JS007 RSB
Size : 500L x 415W x 75H mm
End cap : 415W x 180L x 75H mm



Code : JS008 RSB Arrow
Size : 500L x 415W x 75H mm
End cap : 415W x 180L x 75H mm



Code : JS 009 Rubber Cable Protector
Size : 500 x 470 x 50 mm



Code : JS 010 RSB Diamond
Size : 500 x 425 x 75 mm



Code : JS 011 Rubber Rumbler Strip
Size : 500 x 125 x 25 mm

ABS/PE SPEED BREAKERS



Code : JS 012 ABS Speed Breaker
Size : 250 X 350 X 50 mm




Code : JS 013 ABS Speed Breaker
Size : 500 X 375 X 50 mm




Code : JS 014 ABS Speed Breaker
Size : 750 X 250 X 75 mm



Code : JS 015 ABS Speed Breaker
Size : 500 X 425 X 75 mm



Code : JS 016 ABS Rumbler Strip
Size : 500 X 130 X 25 mm



Code : JS 017 ABS End Cap

SOLAR SAFETY PRODUCTS




SOLAR ROAD STUD

Model No. LTS-SRS-1-SOLAR ROAD
Size STUD 132 X 122 X 32MM
No. of LEDs 6
Material ALUMINUM ALLOY
Water Proof IP68
Resistance 30 tons
Work Time 48-72 HOURS
Colors RED, YELLOW, BLUE, GREEN
Power Supply SOLAR PANEL 0.3 W 45 X 65MM
 , NI-MH BATTERY
 1.2V/1300MAH



SOLAR ROAD STUD WITH-OUT SHANK

Model No. LTS-SRS-2-SOLAR ROAD STUD
Size 135 X 105 X 26MM
No. of LEDs 4
Material ALUMINUM ALLOY
Water Proof IP68
Resistance 30 tons
Work Time 48-72 HOURS RED,
Colors YELLOW, BLUE, GREEN
Power Supply 1.2V/600MAH NI-MH BATTERY



SOLAR ROAD STUD ROUND



Model No. LTS-SRSR-SOLAR ROAD
Size STUD 132 X 22MM
No. of LEDs 8
Material POLYCARBONATE
Water Proof IP68
Resistance 30 tons
Work Time 72-96 HOURS WHEN FULLY CHARGED
Colors RED, AMBER, BLUE, GREEN SOLAR PANEL
Power Supply HIGH EFFICIENCY MONO CRYSTALLINE
 -3.25V/1300mAh



SOLAR ROAD STUD HEAYY DUTY

Model No. LTS-SRS-2-SOLAR ROAD STUD
Size 125 X 125 X 25MM
No. of LEDs 6
Material ALUMINUM ALLOY
Water Proof IP68
Resistance 30 tons
Work Time 72-96 HOURS WHEN FULLY CHARGED
Colors RED, YELLOW, BLUE, GREEN SOLAR
Power Supply PANEL HIGH EFFICIENCY MONO
 CRYSTALLINE -3.25V/1300mAh

RUBBERZIED SPEED BREAKERS

Made of Synthetic Rubber with interlocking sub units make it bind perfectly in one firm bump. The bumps are pre – coloured (Black – Yellow) and UV stabilised. Each sub unit studded with good quality reflective Glass Beads on either side. The bumps are not hollow from back side therefore not need to be filled with concrete base. Directly can fixed with Adhesive (Epoxy and Resin) and Bolts or fasteners.

SH1200



Length	250 mm
Width	350 mm
Height	50 mm
No. of Pieces Per Meter	4 PC
Load Bearing Capacity	35 Tons

SH1014



Length	500 mm
Width	350 mm
Height	50 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	40 Tons

SH1012



Length	500 mm
Width	425 mm
Height	50 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	35 Tons

SH1013



Length	500 mm
Width	425 mm
Height	75 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	35Tons

SH1300



Length	500 mm
Width	400 mm
Height	50 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	40 Tons


SH1400



Length	500 mm
Width	400 mm
Height	75 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	40 Tons



Front



Back

SH1201

Length	250 mm
Width	350 mm
Height	50 mm
No. of Pieces Per Meter	4 PC
Load Bearing Capacity	40 Tons
Weight	11 Kg

ABS / PE SPEED BREAKERS

SPEED BREAKERS :- Made of **ABS** (Acrylnitrile – Butadiene – Styrene) / **PE** (Poly Ethylene) provide with dovetail interlocking sub units make it bind perfectly in one firm bump. The bumps are pre – coloured (Black – Yellow) and UV stabilised. Each sub unit studded with good quality reflectors on either side. The bump are hollow from back side and shall be filled with concrete base and then is to be fixed to ground surface with Adhesive(Epoxy and Resin) and Bolts or fasteners.



SH1005

Length	250 mm
Width	350 mm
Height	50 mm
No. of Pieces Per Meter	4 PC
Load Bearing Capacity	30 Tons
Colour	Yellow / Black
No. Of Reflectors	2
End Cap	will be extra



SH1007

Length	500 mm
Width	400 mm
Height	50 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	30Tons
Colour	Yellow / Black
No. Of Reflectors	4
End Cap	will be extra



SH1006

Length	500 mm
Width	400 mm
Height	75 mm
No. of Pieces Per Meter	2 PC
Load Bearing Capacity	30Tons
Colour	Yellow / Black
No. Of Reflectors	4



SH1008

Length	250 mm
Width	750 mm
Height	75 mm
No. of Pieces Per Meter	4 PC
Load Bearing Capacity	35Tons
Colour	Yellow / Black
No. Of Reflectors	2

RUMBLERS STUDS AND STRIPS

Portable Speed Breaker



SH1011B

Width	350 mm
Open Length	3 meter
Height	40 mm
Colour	Yellow / Black
Handle	Available
Use as	Portable



SH1011

Length	500 mm
Width	125 mm
Height	25 mm
Colour	Yellow / Black
No. Of Reflectors	NA
Load Bearing Capacity	15 Tons



SH1011A

Length	500 mm
Width	200 mm
Height	15 mm
Colour	White / Yellow
No. Of Reflectors	2 Reflective Strips
Load Bearing Capacity	35 Tons



SH1011 PU

Length	500 mm
Width	100 mm
Height	15 mm
Colour	Yellow / Black
No. Of Reflectors	NA
Load Bearing Capacity	35 Tons



SH1020 PU

Length	500 mm
Width	125 mm
Height	20 mm
Colour	Yellow / Black
No. Of Reflectors	NA
Load Bearing Capacity	35 Tons



SH900

Length	250 mm
Width	150 mm
Height	32 mm
Colour	Yellow
No. Of Reflectors	2
Load Bearing Capacity	30 Tons



SH901

Length	275 mm
Width	150 mm
Height	32 mm
Colour	Yellow
No. Of Reflectors	4
Load Bearing Capacity	35 Tons



SH902

Length	270 mm
Width	150 mm
Height	32 mm
Colour	Yellow
No. Of Reflectors	12 Glass Beads
Load Bearing Capacity	60 Tons



SH903

Length	270 mm
Width	145 mm
Height	32 mm
Colour	Yellow
No. Of Reflectors	12 Glass Beads
Load Bearing Capacity	60 Tons

WATER BALLAST ROAD BARRIER

Made of High impact resistance, UV Stabilizer Polymers, Modular design to form desired length & interlocking system hold the barrier in place. Light weight when empty. Many reflective tapes pasted on it to visible in night time.

Application: Barriers are used for Lane Dividing, Dangerous Area, Dangerous Medians, Sharp Curves, Constructions Zones, No-Entry Zone, Multi Lanes, Parking Lots and Highway etc.



SH - B1

Length	1650 mm
Width	600 mm
Height	1000 mm
Colour	Red
Water Capacity	50 Ltr




SH - B2

Length	1050 mm
Width	500 mm
Height	800 mm
Colour	Red
Water Capacity	25Ltr



SH - B3 Jointer

Length	1100 mm
Width	200 mm
Height	500 mm
Colour	White
Water Capacity	10 Ltr



SH - B15

Length	1500 mm
Width	500 mm
Height	1000 mm
Colour	Red
Water Capacity	40 Ltr



SH - B19

Length	1000 mm
Width	400 mm
Height	400 mm
Colour	Red
Water Capacity	15Ltr



SH - B40

Length	2000 mm
Width	150 mm
Height	1250 mm

ABS ROAD STUDS / CAT EYES


(ABS) PLASTIC ROAD STUDS: - Raise Reflective Pavement Marker made of Engineering Grade ABS Body with Polycarbonate / Acrylic micro Prismatic reflectors.



SH - 972
90mm x 100mm x 20mm



SH - 972 A
90mm x 100mm x 20mm
with Hole



SH - 972 B
90mm x 100mm x 20mm
with Double Shank



SH - 976
100mm X 100mm X 20mm
Mesh Type



SH - 976 A
100mm X 100mm X 20mm
with Solid Base



SH - 976 B
100mm X 100mm X 20mm
with Double Shank



SH - 979 C Regular
90mm x 115mm x 20mm



SH - 979 C Yellow
90mm x 115mm x 20mm
with Shank



SH - 998 (Pally Stud)
100mm - Dia



SH - 979 C Regular White
90mm x 115mm x 20mm



SH - 979 C White
90mm x 115mm x 20mm
with Shank



SH - 977
100mm X 100mm X 18mm
with 6 Glass Beads



SAFETY ALLUMINIUM ROAD STUDS


ALUMINIUM ROAD STUDS: - Raise Reflective Pavement Marker dual Directional made of Aluminum Alloy Body with proper Acrylic or Poly Carbonate Prismatic Reflectors.



SH975
100mm X 100mm X 20mm
with Hole



SH973
100mm X 100mm X 20mm
with 20mm Shank



SH965
100mm X 100mm X 20mm
with 7 x 3 Glass Beads & Hole



SH964A
100mm X 100mm X 20mm
with Shank



SH964
100mm X 100mm X 20mm



SH962
100mm X 100mm X 20mm
with 7 x 3 Glass Beads & Shank



SH620
100mm X 100mm X 20mm
with 7 x 3 Glass Beads & Hole



SH973A
100mm X 100mm X 20mm
with 43 Glass Beads & Shank



SH975A
100mm X 100mm X 20mm
with 43 Glass Beads & Hole

SEARCH MIRRORS

Under Vehicle Bombs Search Trolley Mirror

Handle Bar-Straight or telescopic handle bar length 4ft approx Moment Roller wheels provided for free & easy movement Base Tilt Suitable design for clear view Light Source (optional) Commando touch Fully

Telescopic Extension Search Mirror

Approx Telescopic handle bar Handle extendable up to 4ft approx Light Source can be mounted (optional)



SH1204
Mirror Size : 2 ft x 1 ft
Also available
Mirror : size 24" x 18"



SH1205
Mirror size : 9"x 5"

CONVEX MIRROR

Made up of Polycarbonate Reflective Mirrors. Body is made of ABS/Fiber/Palstic. Suitable for indoor/Outdoor use with hood. Complete with mounting hardware (with/without pipe).



Dimension- 45cm



Dimension- 60cm



Dimension- 80cm




Dimension- 100cm



SIGNAGES

ROAD CAUTIONARY SIGNAGES



ROAD MANDATORY SIGNAGES



INDOOR GLOW & DARK SIGNAGES



Make in INDIA

Make for the World



HARI ROAD SAFETY
SOLUTIONS

Shree Hari Road Safety Solutions
G/F, 25B, Tyagi Mohalla, Chhattarpur Village, New
Delhi -110074
Mob : **9711812678**

